



935 Ages Drive
Ottawa, ON K1G 6L3
CANADA

P: 613.745.3600
F: 613.745.3590
TF: 877.483.7978

www.icortechnology.com
sales@icortechnology.com

QUOTE

To Joe Baker
Mesquite Fire Department (TX)
1515 N Galloway
Mesquite, TX 75149

QUOTE NO.: QUO-08002-R6X0-7
EFFECTIVE FROM: 4/17/2024
EFFECTIVE TO: 7/17/2024

Tel: 972-216-6275
Fax:
Mobile:
Email: jbaker@mesquitefire.org

CURRENCY: US Dollar
SHIPPING METHOD: Ground
SHIPPING TERMS: FOB - DESTINATION
*DELIVERY DATE: 32 - 36 Weeks ARO
PAYMENT TERMS: Net 30

QTY	P/N	DESCRIPTION	\$/UNIT	LINE TOTAL
1.0	Mini-123	Mini-CALIBER® Robot (COFDM) Comes standard with: • Rubber Tracks for traversing rough terrain and climbing stairs • Wirelessly Controlled Front and Rear Flippers with positional feedback with preset Home and Stair Climbing positions • Turreted Robotic Claw arm with 15lbs lift and 5 axes of movement • 10x Color zoom camera on claw arm • Front and Rear Color/IR Drive Cameras • Wide Angle color rear mast camera • Color Claw camera • 2-Way Audio: Talk/Listen through the robot • LED drive lights for Front and Mast Cameras • Wireless RF control: 1.3GHz Video; 900MHz Data • Portable, Lightweight, Handheld Controller • 2x 24V DC Lithium-Iron-Phosphate Robot Battery Packs (1x onboard; 1x spare) & 1x 24V DC Battery Charger • 2x 12V DC Lithium-Ion CCU Battery Packs (1x onboard; 1x spare) & 1x 12V DC Battery Charger • 2 year limited warranty • Electronic manual with training videos and hard copy of operator manual. *Note: Mini-CALIBER is shipped in a wooden crate. Hard-shell case is available as an option.	\$54,746.95	\$54,746.95
1.0	14096	Mini-CALIBER RF Range Extender (1.3GHz Video/900MHz Data) Increase the wireless operating Video/Data range of your Mini-Caliber robot with the Mini-CALIBER RF Range Extender. Mounted on a portable tripod (additional suction cup and magnetic mounts included), an additional transmitter and receiver can be directly connected to the CCU using a 20' (6m) of hardwire tether. Key uses include: extending RF range; ability to have antennae's mounted outside armored vehicles. Includes one CAL-EB3 MINI CCU battery pack. Battery charger not included, as system uses CAL-BC2 Mini CCU Battery Charger included with robot. Note: Available on new MINI-12X CALIBER robots only.	\$8,028.31	\$8,028.31
1.0	13895	500' Tether Reel kit - Mini RF Range Extender Used in conjunction with the Mini-CALIBER RF Range Extender (PN 13153) the 500 ft. (150m) tether reel extension cable allows users to place the MINI-CALIBER video and data antennas 500 ft. (150m) from the CCU. This will increase the users operating distance enabling LOS around corners; increasing range of operations inside buildings/parking garages by placing RF antennas inside a structure. Includes a tripod. Note: must be purchased with PN 13153.	\$4,260.92	\$4,260.92
1.0	10003	Mini Claw Kit - 2ND Generation The 2nd generation claw attachment kit includes specially designed tools to augment the capabilities of the Mini-CALIBER® robot. Kit includes: key holder, PTZ camera extension to reach 9' (3m) high, box cutters, clothes cutter, extension poles, tire deflator, finger extension with porcelain tips, cutting hook, utility shears with ceramic blades, Cutabiner®, multiple effectors and hook & line accessories.	\$4,695.81	\$4,695.81
1.0	CAL-OP016	Quick Release FLIR Camera FLIR Thermal Imaging Camera for the CALIBER® Robot (MK3/T5/Mini); Mounts to the Quick Release PTZ Mast (zoom not available); Wide Field of View (H49° x V39°) with an effective detection range up to 230m (750ft)	\$8,524.77	\$8,524.77
1.0	12627	MINI Quick Release Color IR Camera Optional Colour / IR (infra red) Camera for the Mini-CALIBER® Robot (CAL-Mini); used in place of zoom camera on claw mount or placed on deck mast.	\$1,026.14	\$1,026.14
1.0	10458	Claw Auxiliary Camera - Mini Increase your situational awareness while using your manipulator with the addition of the Claw Auxiliary Camera for your Mini-CALIBER®. This ultra-versatile mount has a fully adjustable folding arm that connects a camera to the claw housing. Fully configurable to provide the best viewing angle while using tools from the optional CALIBER® Claw Attachment Kit (PN: 10003). Note: Available for the Mini-CALIBER® only.	\$1,509.89	\$1,509.89

1.0	10002	<p>K3150 Robot Disrupter Sleeve</p> <p>The Ideal Products Inc Robot Disrupter Sleeve kit allows for the integration of a 12in Tactical, 18in T3 or 24in PAN disrupter onto a Mini-CALIBER® robot or tripod stand. Allows the disrupter to dislodge upon firing to reduce recoil on robot. Mounts on a Picatinny rail. Comes equipped with two self-powered dot green lasers used for aiming. *Note Requires ICOR p/n: 10001 - MINI arm Picatinny Rail Assembly, for Mini-CALIBER robot operation. Shipped in a cardboard box, includes laser adjusting tool. (For Mini Only; Disrupter not included)</p> <p>**Note: Initiation system required. There are various options available for initiation. Typically, CAL-OP001 or CAL-OP002 or 1680 Remote Firing Device are purchased with this option, or low voltage pyrotechnic initiators can be used. Contact your ICOR Representative for further information.</p>	\$3,073.53	\$3,073.53
1.0	10001	<p>MINI arm Picatinny Rail Assembly</p> <p>Includes a clamp and Picatinny rail base plate which can be permanently attached to the Mini-CALIBER® arm with a quick disconnect Picatinny clamp extension assembly. Instruction manual and mounting hardware included. Packaged in a cardboard box. For use with P/N 10002 - K3150 Robot Disrupter Sleeve.</p>	\$381.14	\$381.14
1.0	CAL-OP001	<p>Firing Circuit</p> <p>24V DC Firing Circuit for Mini-CALIBER® Robot</p>	\$1,133.64	\$1,133.64
1.0	CAL-125RC	<p>12.5MM RC DISRUPTOR MOUNT</p> <p>Disruptor Mount w/ 24V DC Firing Circuit for Mini-CALIBER® Robot - includes Camera and Green Lasers for sighting. The mount integrates with Proparms RC 12.5mm, AB Precision Needle Plus, and Ideal Products .357 Magnum Note: the disrupter is not included</p>	\$2,680.00	\$2,680.00
1.0	CAL-OP014	<p>Mini-CALIBER case</p> <p>Mini-CALIBER hardshell transit case with custom cut foam and tie downs to secure robot. Note: the transit case only holds the Mini-CALIBER robot. There is a separate hardshell case for the CCU.</p>	\$1,695.57	\$1,695.57
1.0	CAL-SP2	<p>Mini Basic Spare Parts Kit</p> <p>Essential items to maintain and repair your Mini-CALIBER® robot</p>	\$1,700.46	\$1,700.46
1.0	CAL-EB2	<p>24V DC Battery Pack - Mini</p> <p>Spare/Replacement 24V DC Battery Pack for Mini-CALIBER® Robot Includes: 2x 12.8V / 9.6 AH LiFePO4 Replacement battery for use with the Mini-CALIBER® Robot (note: The Mini-CALIBER® uses 2 LiFePO4 batteries for 24V operation)</p>	\$674.32	\$674.32
1.0	CAL-BC3	<p>Robot Battery Charger - Mini</p> <p>Spare Mini-CALIBER robot dual battery charger.</p>	\$210.11	\$210.11
1.0	CAL-EB3	<p>CCU Battery - Mini</p> <p>Spare/Replacement 11.1V / 7.8Ah Li-Ion for use with the Mini-CALIBER® CCU</p>	\$175.91	\$175.91
1.0	10478	<p>Extended Warranty - Mini</p> <p>CALIBER® Robot Extended Warranty. Add an additional year (3rd Year) to the standard 2 year warranty. (Available for Mini-CALIBER)</p>	\$5,658.42	\$5,658.42
1.0	CAL-TTC-MINI	<p>Mini-CALIBER® ROBOT ONSITE TRAINING at Customer Location</p> <p>Eight (8) hour Operation, Maintenance, and Troubleshooting Course for one or two robots. Includes travel and accommodations for ICOR Technician. Consists of hands-on instruction for up to ten operators, and a classroom presentation for unlimited participants.</p>	\$3,234.78	\$3,234.78
1.0	CAL-CBFIREWB	<p>CarbonFire10 ROBOT ADAPTER SYSTEM II (WITHOUT BARREL)</p> <p>CarbonFire10 Robot Adapter System II (Without Barrel) Includes: Non-functional Barrel; MagFire T3 Breech; MagFire Breech Plug; Robot Barrel Mount + Dual Laser Sights & Picatinny Clamp-On Mount; EOD 12 Ga. Laser Boresighter; Tool Kit; Parachute Tube & Cap; Parachute; Parachute Retainer & Protective Cap; Polymer Carrying Case; Mini-CALIBER Robot Adapter Clamp</p>	\$4,670.00	\$4,670.00
50.0	3005300	<p>20mm RC Cartridge (70 grain)</p>	\$40.00	\$2,000.00
1.0	9014070	<p>M2A1 Metal Ammunition Box</p> <p>M2A1 Metal Ammunition Box (Fits Qty: 200x 12.5mm Neutrex/RC or 50x 20mm Neutrex/ RC or 35x 29mm Neutrex/RC Cartridges per Ammunition Box)</p>	\$65.00	\$65.00
10.0	3003021	<p>20mm Avon Frangible Projectile</p>	\$20.00	\$200.00
10.0	3100008	<p>20mm Flat Head Steel Slug Assembly Projectile</p>	\$25.00	\$250.00
1.0	1106102	<p>20mm Dual Laser Pointer Assembly for 20mm Neutrex and Recoilless Disrupters</p>	\$2,850.00	\$2,850.00

1.0	14575	20mm Boresight Adapter for SL-150. Please note SL-150 laser is not included.	\$340.00	\$340.00
1.0	9600019	SL150 Boresight Mag Laser Boresight laser used to zero in dual or single laser pointers. Requires boresight adapter	\$560.00	\$560.00
20.0	9011102	O-ring Small O-Ring (Small) (rubber) 1.486" ID x 0.070 W (1 per 3 cartridges) For 20mm Recoilless Cartridges	\$2.00	\$40.00
10.0	9011103	O-ring Large O-Ring (Large) (rubber) 1.864" ID x 0.070 W (1 per 3 cartridges) For 20mm & 29mm Recoilless Cartridges	\$3.00	\$30.00
1.0	1400001	12.5MM RECOILLESS Waterjet Disrupter - KIT Includes: 1405001 12.5mm RC Barrel Assembly 1405101 12.5mm RC Assembly 1601300 Modified Camera Tripod 1404100 12.5mm RC Spare Parts Kit containing: Misc. 12.5mm RC Manual 12.5mm RC Maintenance Manual - USB 14141 12.5mm RC/Neutrex Pelican Case on wheels	\$11,120.00	\$11,120.00
110.0	3025201	12.5mm RC Cartridge (16 Grain) For Electric Breech	\$40.00	\$4,400.00
1.0	9014070	M2A1 Metal Ammunition Box M2A1 Metal Ammunition Box (Fits Qty: 200x 12.5mm Neutrex/RC or 50x 20mm Neutrex/ RC or 35x 29mm Neutrex/RC Cartridges per Ammunition Box)	\$65.00	\$65.00
20.0	3026020	12.5mm Avon Frangible Projectile	\$15.00	\$300.00
10.0	3100006	12.5mm Flathead Steel Slug Assembly Projectile	\$30.00	\$300.00
1.0	PRO-MISC.	PROPARMS 12.5 RC mount for Telerob gripper held tool (No sighting system)	\$5,940.00	\$5,940.00
1.0	1405096	12.5mm Single Pointer Assembly 1M	\$1,775.00	\$1,775.00
1.0	15130	1685 Remote Firing Device - Controller Controller can initiate up to 6 remotes. Remote Fire Modes options: all, individually or selected groups – immediate or sequential fire. Controller Weight 13.1 ounces (371g) (P/N: 168501)	\$2,800.00	\$2,800.00
1.0	15131	1685 Remote Firing Device - Remote "Remote receiver works with 1685 Controller. Dual Output – shock tuber and electric, MIL-STD 100FT (30 meter) submersible, full 2 –way communication with MESH capability, CR123 Lithium "Off the shelf" batteries. Remote weight 14.2 ounces (403g). Includes 2x CR123A Lithium Batteries, 1 Test Light, and 25x E600-200-00 EBW - Exploding Bridge Wire"	\$2,800.00	\$2,800.00
1.0	S&H	SHIPPING AND HANDLING	\$2,000.00	\$2,000.00
			TOTAL	\$145,915.67

This is a quotation on the goods named, subject to the conditions noted below:

Unless otherwise provided: This quote is in US Dollars; shipping terms are EX WORKS for domestic and international shipments; all prices are exclusive of shipping costs, insurance, custom clearance and any applicable Taxes of any kind; all price quotations are valid for 90 days. Published list prices are subject to change without notice. Due to a policy of continuous product improvement, ICOR reserves the right to change specifications and appearance without notice. Please reference the invoice number on your cheque and remit to ICOR Technology Inc. 935 Ages Drive, Ottawa, Ontario K1G 6L3 Canada. The CALIBER® Robot (including the MK3, T5, Mini, and MK4) contains up to 35% US-source materials and are ITAR export license free and not subject to AECA or EAR regulations. The CALIBER® Robot is a Controlled Good, and requires an Export Permit for international shipping in accordance with the *Export and Import Permits Act (R.S.C., 1985, c. E-19)*. Failure to perform due to the action or inaction of the Government of Canada will be considered Force Majeure, and, ICOR is not responsible for any penalties, fees, liquidated damages, etc. **Some or all of the quoted items are eligible for purchase through GSA's Cooperative Purchasing Program and 1122 Program for State and Local Law Enforcement. Please consult with your purchasing department to determine the optimal purchasing vehicle and notify your ICOR Sales Representative to make any changes necessary. ICOR's GSA Contract Number is: GS-07F-0430V**

DISCLAIMER REGARDING DISRUPTER MOUNT CONFIGURATIONS: ICOR Technology is a robot manufacturer and do not make disrupters. The end-user must consult with the disrupter manufacturer for complete instructions on loading, operation, maintenance and firing procedures. ICOR recommends that the end-user takes disrupter training from the manufacture before firing the weapon off of the robot. USE AT OWN RISK. ANY POTENTIAL DAMAGES TO THE ROBOT AS A RESULT OF USING A DISRUPTER ARE NOT COVERED UNDER WARRANTY. AS PER ICOR'S LIMITED WARRANTY, WARNING AND LIMITATION OF LIABILITY DOCUMENT, ICOR SHALL BE HELD HARMLESS TO ANY LOSS OR INJURY AS RESULT OF USING DISRUPTERS ON THE ROBOT.

***NOTICE OF COVID-19 MANUFACTURING AND SHIPPING DELAY**

The COVID -19 pandemic has posed unprecedented problems to the worldwide supply chain network, causing delays in the delivery of critical components needed to build CALIBER® robots. ICOR's top priority is to build and deliver robots according to the order acknowledgement's timelines; nevertheless, we cannot be held liable for delays caused by restricted air cargo capacity and overburdened global logistics networks.

To accept this quotation, sign here and return:



935 Ages Drive
Ottawa, ON K1G 6L3
CANADA

P: 613.745.3600
F: 613.745.3590
TF: 877.483.7978

www.icortechnology.com
sales@icortechnology.com

QUOTE

Signature

Date