

Here's the quote you requested!

Please review your quote details below, then contact your sales rep when you're ready to place your order. Total:\$58,009.96

Quote number:	Quote date:	Quote expiration:	Deal ID:
3000006959594.1	Jan. 16, 2017	Feb. 15, 2017	13107161
Company name:	Customer number:	Phone:	
CITY OF MESQUITE	1900469	(972) 216-6286	
Sales rep information: Rick Dallmeier Rick_Dallmeier@Dell.com (800) 456-3355 Ext: 5139809	Bill to: CITY OF MESQUITE PO BOX 850137 MESQUITE TX 75185-0137 US (972) 216-6286		

Pricing Summary

ltem	Qty	Unit price	Subtotal
PowerEdge R730	4	\$14,502.49	\$58,009.96
	Non-Ta	Subtotal: Shipping: onmental Fees: axable Amount: axable Amount: Estimated Tax:	\$58,009.96 \$0.00 \$0.00 \$58,009.96 \$0.00 \$0.00
		Total:	\$58,009.96

PowerEdge R7304\$14,502.4\$58,009.96Estimated Delivery Date: Feb. 15 - Feb. 23, 20179Contract Code: 42AFUCustomer Agreement No: DIR-SDD-1951210-ACXUPowerEdge R730 Server329-BCZKPE R730/xd Motherboard MLK4-50-BBENChassis with up to 8, 2.5" Hard Drives4-340-AKKBPowerEdge R730 Shipping338-BJDIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s340-AKKBPowerEdge R730 Shipping338-BJDIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s374-BBHMStandard Heatsink for PowerEdge R730/R730xd374-BBHMStandard Heatsink for PowerEdge R730/R730xd374-BBHMStandard Heatsink for PowerEdge R730/R730xd374-BBHMStandard Heatsink for PowerEdge R730/R730xd370-ACPH2400MT/s DIMMs370-ACPH2400MT/s DIMMs370-ACPH </th <th>SKU</th> <th>Description</th> <th>Qty</th> <th>Unit Price</th> <th>Subtotal</th>	SKU	Description	Qty	Unit Price	Subtotal
Estimated Delivery Date: Feb. 15 - Feb. 23, 2017 Contract Code: 42AFU Customer Agreement No: DIR-SDD-1951 210-ACXU PowerEdge R730 Server 4 - - 329-BCZK PE R730/xd Motherboard MLK 4 - - 329-BCZK PE R730/xd Motherboard MLK 4 - - 350-BBEN Chassis with up to 8, 2.5" Hard Drives 4 - - 340-AKKB PowerEdge R730 Shipping 4 - - - 91, Turbo, HT, 12C/24T (160W) Max Mem 2400MHz -		PowerEdge R730	4		\$58,009.96
Customer Agreement No: DIR-SDD-1951210-ACXUPowerEdge R730 Server4-329-BCXPE R730/xd Motherboard MLK4-461-AADMPowerEdge R730 Server FIPS TPM 2.04-30-BBENChassis with up to 8, 2.5" Hard Drives4-30-BBENChassis with up to 8, 2.5" Hard Drives4-313-BJDIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-318-BJDIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-270-ABWEDIMM Blanks for System with 2 Processors4-270-ABWEDIMM Blanks for System with 2 Processors4-270-ABWEDIMM Blanks for PowerEdge R730/R730xd4-270-AAPP2400MT/s RDIMMs4270-AAPPPerformance Optimized4270-AAPPPerformance Optimized4370-BBJSNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4370-BBJSNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4370-BBRDiregrated RAID Controller4370-BBRDDiRAC8 Enterprise, integrated Dell Remote Access4370-BBRDerdinant SD Cards Enabled4370-BBRDerdinant SD Cards Enabled4370-BBRNo Rezel4370-BBRNo Bezel4370-BBBWDogera		Estimated Delivery Date: Feb. 15 - Feb. 23, 2017			
210-ACXUPowerEdge R730 Server4-329-BCXPE R730/xd Motherboard MLK4-461-AADMPowerEdge Server FIPS TPM 2.04-50-BENChassis with up to 8, 2.5" Hard Drives4-340-AKKBPowerEdge R730 Shipping4-374-BKKPowerEdge R730 Shipping4-378-BJDJIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-378-BJEFIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-370-ABWEDIMM Blanks for System with 2 Processors4-370-ABWEDIMM Blanks for System with 2 Processors4-374-BBHMStandard Heatsink for PowerEdge R730/R730xd4-370-ACPH2400MT/s RDIMMs4370-AAIPPerformance Optimized4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-BBLNo RAID FM30/H730/H730P (1-16 HDDs or SSDs)4385-BBL0IDRAC8 Enterprise, integrated Dell Remote Access4306-BBCCInternal Dual SD Module4385-BBL116GB SD Card For IDSDM4385-BBL116GB SD Card For IDSDM4-<		Contract Code: 42AFU			
329-BCZK PE R730/xd Motherboard MLK 4 - - 461-ADM PowerEdge Server FIPS TPM 2.0 4 - - 350-BBEN Chassis with up to 8, 2.5" Hard Drives 4 - - 340-AKKB PowerEdge R730 Shipping 4 - - 338-BJDJ Intel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s 4 - - 338-BJF Intel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s 4 - - 370-ABWE DIMM Blanks for System with 2 Processors 4 - - 370-ABHM Standard Heatsink for PowerEdge R730/R730xd 4 - - 370-ACPH 2400MT/s RDIMMs 4 - - - 370-ACPH 2400MT/s RDIMMs 4 - - - 370-ACPH 2400MT/s RDIMMs 4 - - - 405-AAEF PERC H330 Integrated RAID Controller 4 - - - 405-AAEF PERC H330 Module 4 - - - - 405-BBCC Intel Ethernet X540 DP 10Cb BT + 1350 1Gb BT DP 4<		Customer Agreement No: DIR-SDD-1951			
329-8CZK PE R730/xd Motherboard MLK 4 - - 461-AADM PowerEdge Server FIPS TPM 2.0 4 - - 330-BBEN Chassis with up to 8, 2.5" Hard Drives 4 - - 330-BBEN Chassis with up to 8, 2.5" Hard Drives 4 - - 338-BJDJ Intel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s 4 - - 338-BJF Intel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s 4 - - 370-ABWE DIMM Blanks for System with 2 Processors 4 - - 370-ABHM Standard Heatsink for PowerEdge R730/R730xd 4 - - 370-ACPH 2400MT/s RDIMMs 4 - - - 370-ACPH 2400MT/s RDIMMSO/H30P (1-16 HDDs or SSDs) 4 - - - 405-AEF PERC H330 Integrated AllD Controller 4	210-ACXU	PowerEdge R730 Server	4	-	-
350-BBENChassis with up to 8, 2.5" Hard Drives4340-AKKBPowerEdge R730 Shipping4338-BJDIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4338-BJEFIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4370-ABWEDIMM Blanks for System with 2 Processors4374-BBHMStandard Heatsink for PowerEdge R730/R730xd4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-BBNSNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4405-AAEFPERC H330 Integrated RAID Controller4385-BBHOinRc8 Enterprise, integrated Dell Remote Access4385-BBHOOpenManage Essentials, Server Configuration Management4385-BBL116GB SD Card For IDSDM4385-BBJ116GB SD Car	329-BCZK		4	-	-
340-AKKBPowerEdge R730 Shipping4-338-BJDJIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-338-BJEFIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-374-BBHKIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-370-ABWEDIMM Blanks for System with 2 Processors4-374-BBHMStandard Heatsink for PowerEdge R730/R730xd4-374-BBHMStandard Heatsink for PowerEdge R730/R730xd4-370-ACPH2400MT/s RDIMMs4370-AALPPerformance Optimized4370-AALPPerformance Optimized4405-AAEFPERC H330 Integrated RAID Controller4405-BBJSNo RAID for H330/H730/H730 (1-16 HDDs or SSDs)4405-BBKCIntel Ethernet X540 DP 10Gb BT + 1350 1Gb BT DP4408-BBWUOpenManage Essentials, Server Configuration Management4330-BBCLInternal Dual SD Module4385-BBJ116GB SD Card For IDSDM4385-BBJ116GB SD Card For IDSDM4430-BBWNo Bezel4420-AAPUDVD ROM, SATA, INTERNAL4430-BBWNo Bezel4430-BBWNo Bezel4430-BBW <td< td=""><td>461-AADM</td><td>PowerEdge Server FIPS TPM 2.0</td><td>4</td><td>-</td><td>-</td></td<>	461-AADM	PowerEdge Server FIPS TPM 2.0	4	-	-
338-BJDJIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-QPI, Turbo, HT, 12C/24T (160W) Max Mem 2400MHz338-BJEFIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s4-374-BBHMStandard Heatsink for System with 2 Processors4-374-BBHMStandard Heatsink for PowerEdge R730/R730xd4-370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPHPerformance Optimized4370-AAIPPerformance Optimized4370-BBSCIntel Ethernet X540 DP 10Gb BT + 1350 1Gb BT DP4405-AAEFPERC H330 Integrated RAID Controller4405-BBCCInternal Dual SD Module4385-BBH0iDRAC8 Enterprise, integrated Dell Remote Access430-BBCLInternal Dual SD Module4385-BBJ116GB SD Card For IDSDM4385-BBBWNo Bezel4370-BBWNo Bezel4370-BBWNo Bezel4385-BBL16GB SD Card For IDSDM4385-BBL16GB SD Settings4 </td <td>350-BBEN</td> <td>Chassis with up to 8, 2.5" Hard Drives</td> <td>4</td> <td>-</td> <td>-</td>	350-BBEN	Chassis with up to 8, 2.5" Hard Drives	4	-	-
QPI, Turbo, HT, 12C/24T (160W) Max Mem 2400MHz - - 338-BJEF Intel Xeon E5-2687W v4.3.0GHz, 30M Cache, 9.60GT/s 4 - 370-ABWE DIMM Blanks for System with 2 Processors 4 - 374-BBHM Standard Heatsink for PowerEdge R730/R730xd 4 - 374-BBHM Standard Heatsink for PowerEdge R730/R730xd 4 - 370-ACPH 2400MT/s RDIMMs 4 - 370-AAP Performance Optimized 4 - 405-AAEF PERC H330 Integrated RAID Controller 4 - 405-AAEF PERC H330 Integrated RAID Controller 4 - 405-AAEF PERC H330 Integrated RAID Controller 4 - 840-BBCC Intel Ethernet X540 DP 10Gb BT + 1350 1Gb BT DP 4 - 847-BBWU OpenManage Essentials, Server Configuration Management 4 - 830-BBCL Internal Dual SD Module 4 - - 330-BSCL Internal Dual SD Module 4 - - 385-BBIL 16GB SD Card For IDSDM 4 - - 385-BBL 16GB SD Card For IDSDM <t< td=""><td>340-AKKB</td><td>PowerEdge R730 Shipping</td><td>4</td><td>-</td><td>-</td></t<>	340-AKKB	PowerEdge R730 Shipping	4	-	-
338-BJEFIntel Xeon E5-2687W v4 3.0GHz, 30M Cache, 9.60GT/s QPI, Turbo, HT, 12C/24T (160W) Max Mem 2400MHz-370-ABWEDIMM Blanks for System with 2 Processors4-374-BBHMStandard Heatsink for PowerEdge R730/R730xd4-374-BBHMStandard Heatsink for PowerEdge R730/R730xd4-370-A2WP2400MT/s RDIMMs4-370-AAPPPerformance Optimized4-370-AAPPPerformance Optimized4-370-AAPPPerformance Optimized4-370-AAPPPERC H330 Integrated RAID Controller4-405-AAEFPERC H330 Integrated RAID Controller4-405-BBCCIntel Ethernet X540 DP 10Gb BT + 1350 1Gb BT DP4-385-BBHOiDRAC8 Enterprise, integrated Dell Remote Access4-634-BBWUOpenManage Essentials, Server Configuration Management4-385-BBL116GB SD Card For IDSDM4385-BBJ116GB SD Card For IDSDM4429-AAPUDVD ROM, SATA, INTERNAL4384-BBBLPerformance BIOS Settings4431-ABVRNo Bezel4431-ABVRNo Derating System4431-ABVRNo Operating System4431-ABVDWware ESXi 6.0 U2 Embedded Image on Flash Media4432-1286US Order4432-1286 <td>338-BJDJ</td> <td></td> <td>4</td> <td>-</td> <td>-</td>	338-BJDJ		4	-	-
370-ABWEDIMM Blanks for System with 2 Processors4374-BBHMStandard Heatsink for PowerEdge R730/R730xd4374-BBHMStandard Heatsink for PowerEdge R730/R730xd4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPH2400MT/s RDIMMs4370-ACPHNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4405-AAEFPERC H330 Integrated RAID Controller4540-BBCCIntel Ethernet X540 DP 10Gb BT + 1350 1Gb BT DP4885-BBHOiDRAC8 Enterprise, integrated Dell Remote Access4634-BBWUOpenManage Essentials, Server Configuration Management4385-BBLInferal Dual SD Module4385-BBL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBWNo Bezel470-BBBRReadyRails Sliding Rails Wit	338-BJEF	Intel Xeon E5-2687W v4 3.0GHz,30M Cache,9.60GT/s	4	-	-
374-BBHMStandard Heatsink for PowerEdge R730/R730xd4374-BBHMStandard Heatsink for PowerEdge R730/R730xd4370-ACPH2400MT/s RDIMMs4370-AAIPPerformance Optimized4780-BBJSNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4405-AAEFPERC H330 Integrated RAID Controller4540-BBCCIntel Ethernet X540 DP 10Gb BT + 1350 1Gb BT DP485-BBH0iDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise4330-BBCLInternal Dual SD Module4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBBWNo Bezel4770-BBRRReadyRaits Sliding Rails With Cable Management Arm4384-BBWNo Bezel770-BBRRRead	370-ABWE		4	-	-
374-BBHMStandard Heatsink for PowerEdge R730/R730xd4370-ACPH2400MT/s RDIMMs4370-AAIPPerformance Optimized4780-BBJSNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4405-AAEFPERC H330 Integrated RAID Controller4540-BBCCIntel Ethernet X540 DP 10Gb BT + I350 1Gb BT DP4Network Daughter Card385-BBHOiDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise4634-BBWUOpenManage Essentials, Server Configuration Management 85-BBLL4385-BBLInfernal Dual SD Module4385-BBL16GB SD Card For IDSDM4385-BBL16GB SD Card For IDSDM4384-BBRPerformance BIOS Settings4384-BBB				-	-
370-ACPH2400MT/s RDIMMs4370-AAIPPerformance Optimized4780-BBJSNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4405-AAEFPERC H330 Integrated RAID Controller4405-AAEFPERC H330 Integrated RAID Controller4540-BBCCIntel Ethernet X540 DP 10Gb BT + I350 1Gb BT DP4885-BBHOiDRAC8 Enterprise, integrated Dell Remote Access4634-BBWUOpenManage Essentials, Server Configuration Management4330-BBCLInternal Dual SD Module4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBL16GB SD Card For IDSDM4384-BBBNNo Bezel4770-BBBRReadyRails Sliding Rails With Cable Management Arm4430-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4619-ABVRNo Operating System4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4330-BBCPR730 PCle Riser 3, Left Alternate4330-BBRPR730 PCle Riser 1 Filler Blank, Right4 <td>374-BBHM</td> <td></td> <td>4</td> <td>-</td> <td>-</td>	374-BBHM		4	-	-
780-BBJSNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4405-AAEFPERC H330 Integrated RAID Controller4540-BBCCIntel Ethernet X540 DP 10Gb BT + I350 IGb BT DP4385-BBHOiDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise4330-BBCLInternal Dual SD Module4385-BBLIIndeg Standard SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4390-BBCRReadyRails Sliding Rails With Cable Management Arm4384-BBLPerformance BIOS Settings4384-BBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4631-AAJGKit, PowerEdge R730/xd619-ABVRNo Operating System4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4330-BBCOR730 Ycle Riser 2, Center4330-BBCPR730 PCle Riser 3, Left Alternate4 <t< td=""><td>370-ACPH</td><td></td><td>4</td><td>-</td><td>-</td></t<>	370-ACPH		4	-	-
780-BBJSNo RAID for H330/H730/H730P (1-16 HDDs or SSDs)4405-AAEFPERC H330 Integrated RAID Controller4540-BBCCIntel Ethernet X540 DP 10Gb BT + I350 IGb BT DP4385-BBHOiDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise4330-BBCLInternal Dual SD Module4385-BBLIIndeg Standard SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4390-BBCRReadyRails Sliding Rails With Cable Management Arm4384-BBLPerformance BIOS Settings4384-BBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4631-AAJGKit, PowerEdge R730/xd619-ABVRNo Operating System4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4330-BBCOR730 Ycle Riser 2, Center4330-BBCPR730 PCle Riser 3, Left Alternate4 <t< td=""><td>370-AAIP</td><td>Performance Optimized</td><td>4</td><td>-</td><td>-</td></t<>	370-AAIP	Performance Optimized	4	-	-
405-AAEFPERC H330 Integrated RAID Controller4540-BBCCIntel Ethernet X540 DP 10Gb BT + 1350 1Gb BT DP4Network Daughter Card385-BBHOiDRAC8 Enterprise, integrated Dell Remote Access4634-BBWUOpenManage Essentials, Server Configuration Management4330-BBCLInternal Dual SD Module4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4390-BBRRReadyRails Sliding Rails With Cable Management Arm4384-BBBLPerformance BIOS Settings4391-AAJGElectronic System Documentation and OpenManage DVD4421-5736No Media Required4432-1286US Order43330-BBCDR730 /Xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4330-BBCPR730 PCIe Riser 1, Filler Blank, Right4	780-BBJS		4	-	-
540-BBCCIntel Ethernet X540 DP 10Gb BT + I350 1Gb BT DP4Network Daughter Card385-BBHOiDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise4634-BBWUOpenManage Essentials, Server Configuration Management4330-BBCLInternal Dual SD Module4385-BBJLInternal Dual SD Module4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4385-BBWNo Bezel4770-BBRReadyRails Sliding Rails With Cable Management Arm4384-BBBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4619-ABVRNo Operating System470-BBRORNo Media Required4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4332-1286R730 PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 1 Filler Blank, Right430-BBCPR730 PCIe Riser 1 Filler Blank, Right4	405-AAEF		4	-	-
385-BBHOiDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise4634-BBWUOpenManage Essentials, Server Configuration Management4330-BBCLInternal Dual SD Module4385-BBCFRedundant SD Cards Enabled4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM429-AAPUDVD ROM, SATA, INTERNAL430-BBEWNo Bezel470-BBBRReadyRails Sliding Rails With Cable Management Arm4384-BBBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4619-ABVRNo Operating System4619-ABVRNo Operating System432-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	540-BBCC	Intel Ethernet X540 DP 10Gb BT + I350 1Gb BT DP	4	-	-
634-BBWUOpenManage Essentials, Server Configuration Management4330-BBCLInternal Dual SD Module4385-BBCFRedundant SD Cards Enabled4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4429-AAPUDVD ROM, SATA, INTERNAL4350-BBWNo Bezel4770-BBRReadyRails Sliding Rails With Cable Management Arm4384-BBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4619-ABVRNo Operating System4614-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4320-BBCOR730/xd PCIe Riser 2, Center430-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	385-BBHO	iDRAC8 Enterprise, integrated Dell Remote Access	4	-	-
330-BBCLInternal Dual SD Module4385-BBCFRedundant SD Cards Enabled4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4429-AAPUDVD ROM, SATA, INTERNAL4380-BBWNo Bezel4770-BBRReadyRails Sliding Rails With Cable Management Arm4384-BBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD Kit, PowerEdge R730/xd4619-ABVRNo Operating System4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media432-1286US Order4330-BBCOR730/xd PCle Riser 2, Center4330-BBCPR730 PCle Riser 3, Left Alternate4374-BBHSR730 PCle Riser 1 Filler Blank, Right4	634-BBWU		4	-	-
385-BBCFRedundant SD Cards Enabled4385-BBJL16GB SD Card For IDSDM4385-BBJL16GB SD Card For IDSDM4429-AAPUDVD ROM, SATA, INTERNAL4350-BBWNo Bezel4770-BBRReadyRails Sliding Rails With Cable Management Arm4384-BBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4619-ABVRNo Operating System4619-ABVRNo Operating System4619-ABVRNo Media Required4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	330-BBCL		4	-	-
385-BBJL16GB SD Card For IDSDM4-385-BBJL16GB SD Card For IDSDM4-429-AAPUDVD ROM, SATA, INTERNAL4-350-BBWNo Bezel4-770-BBBRReadyRails Sliding Rails With Cable Management Arm4-384-BBBLPerformance BIOS Settings4-450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4-631-AAJGElectronic System Documentation and OpenManage DVD4-619-ABVRNo Operating System4614-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4		Redundant SD Cards Enabled	4	-	-
385-BBJL16GB SD Card For IDSDM4429-AAPUDVD ROM, SATA, INTERNAL4350-BBBWNo Bezel4770-BBBRReadyRails Sliding Rails With Cable Management Arm4384-BBBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4619-ABVRNo Operating System4619-ABVRNo Operating System4614-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBCOR730/xd PCle Riser 2, Center4330-BBCPR730 PCle Riser 3, Left Alternate4374-BBHSR730 PCle Riser 1 Filler Blank, Right4			4	-	-
429-AAPUDVD ROM, SATA, INTERNAL4350-BBBWNo Bezel4770-BBBRReadyRails Sliding Rails With Cable Management Arm4384-BBBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4619-ABVRNo Operating System4619-ABVRNo Operating System46134-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4			4	-	-
350-BBBWNo Bezel4770-BBBRReadyRails Sliding Rails With Cable Management Arm4384-BBBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4619-ABVRNo Operating System4619-ABVRNo Operating System4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	429-AAPU	DVD ROM, SATA, INTERNAL	4	-	-
384-BBBLPerformance BIOS Settings4450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4619-ABVRNo Operating System4619-ABVRNo Operating System4619-ABVRNo Media Required4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	350-BBBW		4	-	-
450-ADWSDual, Hot-plug, Redundant Power Supply (1+1), 750W4631-AAJGElectronic System Documentation and OpenManage DVD4619-ABVRNo Operating System4619-ABVRNo Operating System4619-ABVRNo Media Required4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	770-BBBR	ReadyRails Sliding Rails With Cable Management Arm	4	-	-
631-AAJGElectronic System Documentation and OpenManage DVD Kit, PowerEdge R730/xd4619-ABVRNo Operating System4421-5736No Media Required4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	384-BBBL	Performance BIOS Settings	4	-	-
Kit, PowerEdge R730/xd4-619-ABVRNo Operating System4-421-5736No Media Required4-634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4-332-1286US Order4-330-BBCOR730/xd PCIe Riser 2, Center4-330-BBCPR730 PCIe Riser 3, Left Alternate4-374-BBHSR730 PCIe Riser 1 Filler Blank, Right4-	450-ADWS	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	4	-	-
421-5736No Media Required4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	631-AAJG		4	-	-
421-5736No Media Required4634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4	619-ABVR	No Operating System	4	-	-
634-BDXDVMware ESXi 6.0 U2 Embedded Image on Flash Media4332-1286US Order4330-BBC0R730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4				-	-
332-1286US Order4330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4		•	4	-	-
330-BBCOR730/xd PCIe Riser 2, Center4330-BBCPR730 PCIe Riser 3, Left Alternate4374-BBHSR730 PCIe Riser 1 Filler Blank, Right4			4	-	-
330-BBCPR730 PCIe Riser 3, Left Alternate4-374-BBHSR730 PCIe Riser 1 Filler Blank, Right4-			4	-	-
374-BBHS R730 PCIe Riser 1 Filler Blank, Right 4			4	-	-
			4	-	-
	955-9041	Dell Hardware Limited Warranty Plus On Site Service	4	-	-

	Futended Vear			
976-8706	Extended Year Dell Hardware Limited Warranty Plus On Site Service	4		
	Dell Hardware Limited Warranty Plus On Site Service	-	-	-
976-8710	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Year	4	-	-
976-8719	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, EXT to 2 Year	4	-	-
976-8720	MISSION CRITICAL PACKAGE: Enhanced Services, 5 Year	4	-	-
976-8721	ProSupport: 7x24 HW / SW Tech Support and Assistance, 5 Year	4	-	-
989-3439	Thank you choosing Dell ProSupport. For tech support, visit http://www.dell.com/support or call 1-800- 945- 3355	4	-	-
900-9997	On-Site Installation Declined	4	-	-
973-2426	Declined Remote Consulting Service	4	-	-
370-ACNS	32GB RDIMM, 2400MT/s, Dual Rank, x4 Data Width	64	-	-
400-ALXW	400GB Solid State Drive SAS Mix Use MLC 12Gbps 2.5in Hot-plug Drive, PX04SM	4		-
406-BBCQ	Intel Ethernet X540 DP 10GBASE-T Server Adapter	4	-	-
407-BBEQ	SFP+, Short Range, Optical Tranceiver, LC Connector, 10Gb and 1Gb compatible for Intel and Broadcom	4		-
407-BBEQ	SFP+, Short Range, Optical Tranceiver, LC Connector, 10Gb and 1Gb compatible for Intel and Broadcom	4		-
540-BBHP	Intel X710 Dual Port 10Gb Direct Aattach, SFP+, Converged Network Adapter	4	-	-
450-AALV	NEMA 5-15P to C13 Wall Plug, 125 Volt, 15 AMP, 10 Feet (3m), Power Cord, North America	8	-	-

Subtotal:	\$58,009.96
Shipping:	\$0.00
Environmental Fees:	\$0.00
Non-Taxable Amount:	\$58,009.96
Taxable Amount:	\$0.00
Estimated Tax:	\$0.00

Total: \$58,009.96

Important Notes

Terms of Sale

Unless you have a separate written agreement that specifically applies to this order, your order will be subject to and governed by the following agreements, each of which are incorporated herein by reference and available in hardcopy from Dell at your request: Dell's Terms of Sale (www.dell.com/learn/us/en/uscorp1/terms-of-sale), which include a binding consumer arbitration provision and incorporate Dell's U.S. Return Policy (www.dell.com/returnpolicy) and Warranty (for Consumer warranties; for Commercial warranties).

If this purchase includes services: in addition to the foregoing applicable terms, the terms of your service contract will apply (<u>Consumer; Commercial</u>). If this purchase includes software: in addition to the foregoing applicable terms, your use of the software is subject to the license terms accompanying the software, and in the absence of such terms, then use of the Dell-branded application software is subject to the Dell End User License Agreement - Type A (www.dell.com/AEULA) and use of the Dell-branded system software is subject to the Dell End User License Agreement - Type S (www.dell.com/SEULA).

You acknowledge having read and agree to be bound by the foregoing applicable terms in their entirety. Any terms and conditions set forth in your purchase order or any other correspondence that are in addition to, inconsistent or in conflict with, the foregoing applicable online terms will be of no force or effect unless specifically agreed to in a writing signed by Dell that expressly references such terms.

Pricing, Taxes, and Additional Information

All product, pricing, and other information is valid for U.S. customers and U.S. addresses only, and is based on the latest information available and may be subject to change. Dell reserves the right to cancel quotes and orders arising from pricing or other errors. Please indicate any tax-exempt status on your PO, and fax your exemption certificate, including your Customer Number, to the Dell Tax Department at 800-433-9023. Please ensure that your tax-exemption certificate reflects the correct Dell entity name: **Dell Marketing L.P.** Note: All tax quoted above is an estimate; final taxes will be listed on the invoice.

Note: All lax quoted above is an estimate; final laxes will be listed on the involce.

If you have any questions regarding tax please send an e-mail to <u>Tax_Department@dell.com</u>.

For certain products shipped to end-users in California, a State Environmental Fee will be applied to your invoice. Dell encourages customers to dispose of electronic equipment properly.